

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

# LISTING SERVICE

**LISTING No.** 7165-1527:102 Page 1 of 1

**CATEGORY:** Control Unit (Non High-Rise)

**LISTEE:** National Time & Signal Corporation, 28045 Oakland Oaks Court, Wixom, MI 48393-3342  
Contact: Leo Mullins (248) 380-6264 \*Fax (248) 380-6268

**DESIGN:** Models 902, 902-240 fire alarm control units. Power-limited; automatic, manual, non-coded, local, remote and central station (protected premises unit), water flow and sprinkler supervisory service. Refer to listee's data sheet for detailed product description and operational considerations. System components:

A902-POWER	Power Supply
A902-DIGI	Digi Comm Module
A902-CPU	Computer Module
A902-BACKBOX	Enclosure Backbox
A902-DOOR	Enclosure Door
P110-100-010507, -010508	Enclosure Plate
A900-RS485	RS485 Module
A902-RPS	Remote Power Supply
A902-DIGI Class A	Digicomm Class A Module

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number, electrical ratings, and UL label.

**APPROVAL:** Listed as fire alarm system control unit for use with separately listed compatible initiating and indicating signal devices.

This control unit can generate a distinctive three-pulse Temporal Pattern Fire Alarm Evacuation Signal (for total evacuation) in accordance with NFPA 72, 1999 Edition. Refer to manufacturer's Installation Manual for details.

**NOTE:** For ***fire alarm verification*** feature, the maximum Retard/Reset/Restart period shall be 30 seconds or less.

\*Rev. 08-20-2002



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued:

**JUNE 17, 2003**

*Listing Expires **June 30, 2004***

Authorized By:

**DIANE K. AREND**, Senior Deputy  
Program Manager